



GAF
Safety Data Sheet
SDS # 4027
SDS Date: July 2019

SECTION 1: PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: HYDROSTOP PREMIUMCOAT FOUNDATION COAT WINTER

MANUFACTURER: GAF

ADDRESS: 1 Campus Drive, Parsippany, NJ 07054

**24-HOUR EMERGENCY
PHONE (CHEMTREC):** 800 – 424 – 9300

INFORMATION ONLY: 800 – 766 – 3411

PREPARED BY: Corporate EHS

APPROVED BY: Corporate EHS

SECTION 2: HAZARD IDENTIFICATION

NFPA and HMIS RATINGS:

	NFPA Hazard Rating		HMIS Hazard Rating
Health	1	Health	1
Flammable	0	Flammable	0
Reactive	0	Reactive	0
Special Hazards	-	Personal Protection	X

GHS LABEL ELEMENTS:

GHS Carcinogen – Category 2
CLASSIFICATION: Hazardous to the Aquatic Environment (acute) – Category 2
Hazardous to the Aquatic Environment (chronic) - Category 2

**GHS
PICTOGRAMS:****SIGNAL WORD:** Danger

HAZARD STATEMENTS: Suspected of causing cancer.
Toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe mist or vapor.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product. Avoid release to the environment.
Wear protective glove/protective clothing/eye protection/face protection.

ADDITIONAL HAZARD IDENTIFICATION INFORMATION:**PRIMARY ROUTE OF EXPOSURE:** Inhalation, Skin Contact, Eye Contact**SIGNS & SYMPTOMS OF EXPOSURE****EYES:** Direct contact with eyes may cause temporary irritation.**SKIN:** Prolonged skin contact may cause temporary irritation.**INGESTION:** Not expected to be ingested.**INHALATION:** May cause damage to organs through prolonged or repeated exposure by inhalation. Prolonged inhalation may be harmful.**ACUTE HEALTH HAZARDS:** Excessive exposure can cause pulmonary edema.**CHRONIC HEALTH HAZARDS:** None known

CARCINOGENICITY:

IARC has determined that occupational exposure to Titanium Dioxide is possibly carcinogenic to humans (Group 2B).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

			OCCUPATIONAL EXPOSURE LIMITS		
CHEMICAL NAME	CAS #	% (BY WT)	OSHA	ACGIH	OTHER
Calcium Carbonate	1317-65-3	30 – 40	5 mg/m ³ – resp. 15 mg/m ³ – total	3 mg/m ³ – resp. 10 mg/m ³ – total	REL: 5 mg/m ³ – resp., 10 mg/m ³ – total
Zinc Oxide	1314-13-2	0.1 - <1	5 mg/m ³ – resp. 15 mg/m ³ – total	2 mg/m ³ – resp. 10 mg/m ³ – resp. STEL	REL: 5 mg/m ³ , 15 mg/m ³ – ceiling
Aqua Ammonia (10-30%)	1336-21-6	0.1 - <1	35 mg/m ³	35 ppm - STEL	35 ppm
Paraffinic Oil	64742-65-0	0.1 - <1	2000 mg/m ³ 500 ppm	5 mg/m ³	NE
Pure (Dibutyl Phthalate)	84-74-2	0.1 - <1	5 mg/m ³	5 mg/m ³	NE
Titanium Dioxide	13463-67-7	0.1 - <1	15 mg/m ³ – total	10 mg/m ³ – total	REL: lowest feasible concentration
Non-hazardous ingredients	-	51 – 65	NE	NE	NE

NE = Not Established

SECTION 4: FIRST AID MEASURES**FIRST AID PROCEDURES****EYES:**

Flush eyes with water for 15 minutes. If irritation persists, call a physician.

SKIN:

Wash area thoroughly with soap and water.

INHALATION:

Remove person to an area that has fresh air. If breathing has stopped, administer artificial respiration. Contact physician immediately.

INGESTION:

Rinse mouth. Call a physician immediately. Never give anything by mouth to an unconscious person.

**NOTES TO PHYSICIANS OR
FIRST AID PROVIDERS:**

Upper respiratory tract irritation. Irritation of eyes and mucous membranes. Coughing. Skin irritation. Prolonged exposure may cause chronic effects.

SECTION 5: FIRE FIGHTING PROCEDURES**SUITABLE EXTINGUISHING MEDIA:**

Water spray, CO₂, Dry chemical or foam.

HAZARDOUS COMBUSTION PRODUCTS:

Carbon dioxide and carbon monoxide.

**RECOMMENDED FIRE FIGHTING
PROCEDURES:**

Self-contained breathing apparatus recommended.

**UNUSUAL FIRE & EXPLOSION
HAZARDS:**

None

SECTION 6: ACCIDENTAL RELEASE MEASURES**ACCIDENTAL RELEASE MEASURES:**

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Dam up area to prevent spreading. Caution – area will be slippery. Use absorbent material to dry up the compound.

SECTION 7: HANDLING AND STORAGE**HANDLING AND STORAGE:**

Store in a well ventilated area at 50 – 80 °F.
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Avoid prolonged exposure. When using, do not eat, drink or smoke.. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment.

OTHER PRECAUTIONS:

Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS / VENTILATION:	Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure limits.
RESPIRATORY PROTECTION:	In case of insufficient ventilation, wear suitable respiratory equipment.
EYE PROTECTION:	Safety goggles or safety glasses with side shields.
SKIN PROTECTION:	Wear appropriate impermeable gloves and protective clothing as necessary to prevent skin contact.
OTHER PROTECTIVE EQUIPMENT:	Not applicable.
WORK HYGIENIC PRACTICES:	Wash exposed skin prior to eating, drinking, or smoking and at the end of each shift.
EXPOSURE GUIDELINES:	Not applicable.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE & ODOR:	Heavy liquid with a slight ammonia odor.		
FLASH POINT:	Not applicable	LOWER EXPLOSIVE LIMIT:	No data
METHOD USED:	TCC	UPPER EXPLOSIVE LIMIT:	No data
EVAPORATION RATE:	No data	BOILING POINT:	No data
pH (undiluted product):	No data	MELTING POINT:	No data
SOLUBILITY IN WATER:	Dilutable in water	SPECIFIC GRAVITY:	1.42
DENSITY:	11.84 lbs/gal	PERCENT VOLATILE:	No data
VAPOR PRESSURE:	No data	MOLECULAR WEIGHT:	No data
VOC CALCULATED g/L:	<25	WITHOUT WATER (LBS/GAL):	No data

SECTION 10: STABILITY AND REACTIVITY

THERMAL STABILITY:	STABLE X	UNSTABLE
CONDITIONS TO AVOID (STABILITY):	None known	
INCOMPATIBILITY (MATERIAL TO AVOID):	Strong oxidizing agents.	
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:	Carbon monoxide and carbon dioxide.	

HAZARDOUS POLYMERIZATION:

Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation. Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Components	Species	Test Results
Aqua Ammonia (10-30%) (CAS 1336-21-6)		
<u>Acute</u>		
Oral		
LD50	Rat	350 mg/kg
Pure (Dibutyl Phthalate) (CAS 84-74-2)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	4200 mg/kg 20 ml/kg
Inhalation		
LC50	Mouse	25 mg/l, 2 Hours
	Rat	15.68 mg/l, 4 Hours
Oral		
LD50	Guinea pig	10000 mg/kg
	Mouse	4840 mg/kg
	Rat	6300 mg/kg
Zinc Oxide (CAS 1314-13-2)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	> 5.7 mg/l, 4 Hours
Oral		
LD50	Mouse	7950 mg/kg
	Rat	> 5 g/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Skin sensitization This product is not expected to cause skin sensitization.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium Dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: TRANSPORTATION INFORMATION**DOT**

Not regulated as dangerous goods.

IATA

UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, <u>n.o.s.</u>
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	9L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.

IMDG

UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA: This product and its components are listed on the TSCA 8(b) inventory.

CERCLA: Aqua Ammonia (10-30%) (CAS 1336-21-6) Listed.
Pure (Dibutyl Phthalate) (CAS 84-74-2) Listed.
Zinc Oxide (CAS 1314-13-2) Listed.

SARA

311/312 HAZARD CATEGORIES: Acute Health Hazard, Chronic Health Hazard

313 REPORTABLE INGREDIENTS: Zinc Oxide 1314-13-2
Aqua Ammonia (10-30%) 1336-21-6
Pure (Dibutyl Phthalate) 84-74-2

CALIFORNIA PROPOSITION 65:

Pure (Dibutyl Phthalate) (CAS 84-74-2)

Titanium Dioxide (CAS 13463-67-7)

Other state regulations may apply. Check individual state requirements. The following components appear on one or more of the following state hazardous substances lists:

Chemical Name	CAS #	CA	MA	MN	NJ	PA	RI
Pure (Dibutyl Phthalate)	84-74-2	Yes	Yes	Yes	Yes	Yes	Yes
Zinc Oxide	1314-13-2	Yes	No	Yes	Yes	Yes	Yes
Titanium Dioxide	13463-67-7	No	No	Yes	Yes	Yes	Yes
Aqua Ammonia (10-30%)	1336-21-6	No	Yes	Yes	Yes	Yes	Yes

SECTION 16: OTHER INFORMATION

ADDITIONAL COMMENTS: None

DATE OF PREVIOUS SDS: November 2015

CHANGES SINCE PREVIOUS SDS: Update of VOC information.

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.