

Rev. 4, 25 September 2023

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: OlyBond500 Canisters, Part 1

Supplier: GAF 24-hour Emergency Response Number:

1 Campus Drive Parsippany, NJ 07054

USA

Phone: 1-877-GAF-ROOF

Product Use(s): One component of a two-component polyurethane system

2. HAZARDS IDENTIFICATION

Classifications: Acute Toxicity, Inhalation: Hazard Category 4

Respiratory Sensitization: Hazard Category 1

Skin Sensitization: Hazard Category 1 Skin Irritation: Hazard Category 2 Eye Irritation: Hazard Category 2B

Specific Target Organ Toxicity, Single Exposure: Hazard Category 3 Specific Target Organ Toxicity, Repeated Exposure: Hazard Category 2

Gases Under Pressure: Compressed Gas Physical Hazards Not Otherwise Classified: None Health Hazards Not Otherwise Classified: None

Symbols: Health Hazard

Exclamation Point Gas Cylinder



Chemtrec: 800-424-9300



Signal Word: Danger

Hazard May be harmful if inhaled.

Statements: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

May cause an allergic skin reaction.

Causes eye and skin irritation.

May cause damage to the respiratory system and/or skin through prolonged or

repeated exposure.

Contains gas under pressure; may explode if heated.

Precautionary Do not breathe mist, spray, or vapors.

Statements: Use only outdoors or in a well-ventilated area.

In case of inadequate ventilation wear proper respiratory protection.

Wear protective gloves and eye protection.

Wash hands and forearms thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

IF INHALED: remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms or if you feel unwell, call a doctor or Poison

Control Center.



Rev. 4, 25 September 2023

Precautionary Statements: (continued) **IF ON SKIN:** Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs, get medical advice/attention.

IF IN EYES: Rinse cautiously with water for at several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Get medical advice/attention if you feel unwell.

Protect from sunlight. Store in a well-ventilated place.

Store locked up in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with applicable regulations.

Other Hazards None known

EMERGENCY OVERVIEW

Overexposure to components of this product by inhalation may cause respiratory irritation, asthma-like symptoms, and/or respiratory sensitization.

Skin contact may cause irritation and/or allergy-like symptoms, and eye contact may cause irritation. Avoid skin and eye contact, using proper personal protective equipment as needed. See Section #7 for recommendations on proper handling and work practices, and Section #8 for recommendations on personal protective equipment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| <u>Ingredient</u> | CAS Number | <u>Percentage</u> | <u>Impurities</u> |
|---|-------------------|-------------------|-------------------|
| 4,4'-Methylenediphenyl Diisocyanate | 101-68-8 | 25-50 | None known |
| Diphenylmethane Diisocyanate, Isomers and Homologues | 9016-87-9 | >50 | None known |
| Trans-1,3,3,3-Tetrafluoroprop-1-ene | 29118-24-9 | 10-25 | None known |

4. FIRST AID MEASURES

Eyes: Hold eyes open and flush with lukewarm water for at least 15 minutes. Seek

immediate medical assistance.

Skin: Remove contaminated clothing. Wash affected areas with soap and water for

at least five minutes. If irritation persists or a rash occurs, seek medical

attention. Launder or dry-clean clothing before reuse.

Ingestion: DO NOT induce vomiting. If the subject is conscious, wash mouth with water.

Seek immediate medical assistance. Do not attempt to give anything by mouth

to an unconscious or convulsive person.



Rev. 4, 25 September 2023

Inhalation:

If signs and symptoms of respiratory toxicity are observed, remove subject from area and seek immediate medical attention. Keep the subject warm and at rest. If necessary, administer oxygen or perform artificial respiration if necessary and qualified personnel are available to do so.

Guidance for Physician or Poison Control

Center:

Inhalation exposure can irritate the respiratory tract and induce respiratory sensitization. Treatment of acute irritation and bronchial constriction should be done according to symptoms. Eye contact can cause irritation. Skin contact can cause moderate irritation and may elicit an allergic response among susceptible individuals. Treat eye and skin irritation or injury according to symptoms. Extended medical treatment may be necessary for individuals exhibiting respiratory sensitization and/or skin disorders.

5. FIREFIGHTING MEASURES

Extinguishing Media: Water spray, carbon dioxide, dry chemical or chemical foam. DO

NOT use water jet.

Fire and Explosion

Hazards:

The container may burst if exposed to elevated temperatures, spilling the contents. Material reacts slowly with water, releasing carbon dioxide which can cause pressure buildup and rupture of closed containers. If present in a fire or explosion, potential decomposition byproducts include carbon monoxide, oxides of nitrogen, isocyanates, hydrogen cyanide, hydrogen fluoride, and carbonyl halides.

Firefighting Instructions: If fighting a fire in which this product is present, wear a self-contained

breathing apparatus with full-facepiece operated in pressure-demand

or other positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Methods and Materials: Absorb spilled material with a sorbent such as sawdust or calcium

silicate hydrate. When absorbed, transfer to an impervious container. Neutralize with solution of 8-10% sodium carbonate and 2% liquid detergent in water (10:1 ratio of solution to product). Do not seal container, as CO_2 will be released. Neutralize in a well-ventilated area for at least 48 hours before sealing containers for disposal.

Personal Precautions: Avoid contact with skin, eyes, and mucous membranes. Wear

appropriate personal protective equipment (see Section #8) during cleanup and decontamination. Restrict unauthorized personnel

during cleanup and disposal operations.

Environmental Precautions:

Prevent spills from entering sewers or contaminating soil.

7. HANDLING AND STORAGE

Handling Precautions: Containers should be kept tightly closed to prevent contact with

moisture and other chemicals. Do not reuse empty containers for any purpose. When handling the product, avoid contact with eyes, skin,



Rev. 4, 25 September 2023

and clothing, using protective equipment as needed. Do not use this

product around children and secure it away from children.

Work and Hygiene

Practices:

To prevent ingestion or contact following use of the product, wash hands and face before eating, drinking, applying cosmetics, or using tobacco. Remove contaminated clothing and protective equipment

before entering eating/drinking areas.

Storage Precautions: Keep containers tightly sealed during storage. Store in a dry, well-

ventilated area away from sources of ignition and incompatible materials (see Section #10). Protect from heat and direct sunlight. Recommended temperature for storage is 55-85°F. (12.8-29.4°C.).

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits

| Ingredient | OSHA PEL | ACGIH TLV | Other |
|--|------------------|-----------|--|
| 4,4'-Methylenediphenyl Diisocyanate | 0.02 ppm Ceiling | 0.005 ppm | |
| Diphenylmethane Diisocyanate, Isomers and Homologues | None | None | |
| Trans-1,3,3,3- Tetrafluoroprop-1-ene | None | None | 800 ppm (manufacturer recommended) |

Ingredients Ingredient **Biological Limit(s)**

Biological Limits: 4,4'-Methylenediphenyl Diisocyanate

No ACGIH BEIs or other biological limits

Diphenylmethane Diisocyanate, Isomers and homologues

No ACGIH BEIs or other biological limits

Trans-1,3,3,3-Tetrafluoroprop-1-ene

No ACGIH BEIs or other biological limits

Engineering Use appropriate ventilation (dilution or local exhaust) whenever natural Controls: ventilation is restricted or inadequate to maintain concentrations of all

components within their applicable standards.

Eye/Face Wear eye protection adequate to prevent eye contact with the product. Protection:

Plastic-frame spectacles with side shields, chemical goggles, or a face

shield are recommended.

Skin Protection: Wear protective gloves and clothing to prevent skin irritation or injury from

> contact with the product. Glove materials known to be effective against permeation by isocyanates include butyl rubber, nitrile rubber, and

polychloroprene.

If an exposure level to a component exceeds an applicable standard, use a Respiratory

Protection: NIOSH-approved respirator of a class and configuration effective for



Rev. 4, 25 September 2023

protection from the component(s) generated. Where exposures exceed the OSHA *Permissible Exposure Limit* (*PEL*), an airline respirator or self-contained breathing apparatus (SCBA) is recommended. Consult OSHA regulations (29CFR1910.134) and/or American National Standard Z88.2 (ANSI, New York, NY 10036, USA) for guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: cream-colored liquid

Lower Explosive Limit: not determined

Odor: aromatic Upper Explosive Limit: not determined

Odor threshold: not determined Vapor pressure: 4271 hPa@20°C (propellant)

pH: not applicable Vapor density: not determined Evaporation Rate: not determined VOCs (per EPA Method 24): <5 g/L Boiling point: not determined Relative density (H_2O): approx. 1.23

Boiling range: not applicable (aerosol) Solubility (H₂O): reactive

Flash Point: not applicable (aerosol)

Oil-water partition coefficient: not determined

Autoignition Point: not determined

Decomposition temperature: not determined

Flammability Class: not applicable (aerosol) Viscosity: not determined

10. STABILITY AND REACTIVITY

Stability: Stable

Reactivity: May react with water and incompatible materials

Hazardous Polymerization: May occur at temperatures >392°F./200°C.

Risk of Dangerous Reactions: None reasonably foreseeable

Incompatible Materials: Water, alcohols, acids, alkalis, and amines

Potential Decomposition Carbon monoxide, carbon dioxide, nitrogen oxides,

Byproducts: isocyanates, hydrogen cyanide, hydrogen fluoride,

and carbonyl halides.

11. TOXICOLOGICAL INFORMATION

In annualisanta Tarria ala aur Data

| ingredients Toxicology Data | LD ₅₀ Orai | LD ₅₀ Dermai | LC ₅₀ |
|---|-----------------------|-------------------------|--------------------------------|
| 4,4'-Methylenediphenyl Diisocyanate | >10,000 mg/kg (rat) | | 2.24 mg/l. for 1 hour (rat) |
| Diphenylmethane Diisocyanate, Isomers and Homologues | | No data available | No data available |
| Trans-1,3,3,3-Tetrafluoroprop-1-ene | | No data available | >207000 ppm/4h (rat) |

Primary Route(s) of Entry: Inhalation; ingestion

Eye Hazards: This product may cause eye irritation.

Skin Hazards: This product may cause mild to moderate skin irritation and has the

potential to cause skin sensitization among susceptible individuals.



Rev. 4, 25 September 2023

Ingestion Hazards: The product is nontoxic by ingestion, but ingestion may cause

nausea, vomiting, and/or gastrointestinal irritation.

Inhalation Hazards: Inhalation of toxicologically-significant quantities of ingredients is

unlikely when the product is used in a well-ventilated area and in

accordance with instructions.

Symptoms Related to

Overexposure:

Inhalation overexposure to isocyanates may cause respiratory irritation, breathing difficulties, and asthma-like symptoms.

Term Overexposure:

Delayed Effects from Long Long-term inhalation overexposure to this product may result in

respiratory damage, which may be irreversible.

Carcinogenicity: A single inhalation study exposing rats to aerosolized polymeric 4,4'-

> Methylenediphenyl Diisocyanate identified a single malignant pulmonary tumor among sixty animals exposed at the highest exposure level. Observations of pulmonary fibrosis and other pathological anomalies in the test animals precluded definitive determination as to the cause(s) of the tumor. Epidemiological studies of humans occupationally exposed to the isocyanates in this product have found no strong association or consistent pattern with

respect to carcinogenicity.

No ingredients have been determined to be germ cell mutagens. Germ Cell Mutagenicity:

No ingredients have been determined to be damaging to fertility or to Reproductive Toxicity:

the unborn child.

LD₅₀ (oral): >10,000 mg/kg Acute Toxicity Estimates:

> LD₅₀ (dermal): >9,400 mg/kg LC₅₀: 2.24 mg/L/1 hr as aerosol

Interactive Effects of

Components:

No data available

12. ECOLOGICAL INFORMATION

4,4'-Methylene-Aquatic Toxicity to Fish: $LC_{50} > 1,000 \text{ mg/l.}$ for 96 h. (zebra fish)

diphenyl Aguatic Toxicity to Invertebrates: EC₅₀>1,000 mg/l. for 24 h. (daphnia)

Aquatic Toxicity to Plants: EC₅₀ >1,640 mg/l. for 72 h. (algae) Diisocyanate

> Aquatic Toxicity to Microorganisms: EC₅₀ > 100 mg/l. for 3 h. (bacteria) Toxicity to Terrestrial Organisms: $EC_{No} = 1,000 \text{ mg/kg for } 14 \text{ d. (worms)}$ No data available for Persistence and Degradability, Bioaccumulation

Potential, or Mobility in Soil.

Diphenylmethane Diisocyanate,

Isomers and homologues

No data available for Aquatic Toxicity to Fish, Invertebrates, Plants, or Microorganisms, Toxicity to Terrestrial Organisms, Persistence and Degradability, Bioaccumulation Potential, or

Mobility in Soil.

Trans-1,3,3,3-

Aquatic Toxicity to Fish: LC₅₀ >117 mg/l. for 96 h. (carp)

Aquatic Toxicity to Invertebrates: EC₅₀ > 160 mg/l. for 48 h. (daphnia) Tetrafluoroprop-1-ene

Aquatic Toxicity to Plants: EC₅₀ >170 mg/l. for 72 h. (algae)



Rev. 4, 25 September 2023

Not readily biodegradable. No bioaccumulation is expected. No data available for Aquatic Toxicity to Microorganisms, Toxicity to Terrestrial

Organisms, or Mobility in Soil.

Ozone Depletion Potential:

This product neither contains nor is manufactured with any ingredients

known to deplete the ozone layer.

13. DISPOSAL CONSIDERATIONS

Do not discharge waste product into sanitary or storm sewers or allow it to contaminate soil. Empty containers should be decontaminated prior to disposal. Consult applicable Federal, State/Provincial, and local regulations.

14. TRANSPORTATION INFORMATION

Proper Shipping Name: Chemical Under Pressure, n.o.s.

(trans-1,3,3,3-Tetrafluoroprop-1-ene, Nitrogen)

Identification Number: UN3500

Hazard Class: 2.2

Packing Group: not applicable

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA Information: All ingredients of this product are listed in the TSCA Registry.

SARA Hazard Classes: Refer to Section 2 for the OSHA Hazard Classification.

EPCRA Section

This product contains these ingredients in concentrations ≥1% (for 313 Notification: carcinogens ≥0.1%) regulated under Section 313 of the *Emergency* Planning and Community Right-To-Know Act of 1986 or 40 CFR 372:

1. 4,4'-Methylenediphenyl Diisocyanate (CASRN 101-68-8)

2. Diphenylmethane Diisocyanate, Isomers and Homologues

(CASRN 9016-87-9)

CERCLA

Compensation, and Liability Act (CERCLA), 4,4'-Methylene Bisphenyl Information:

Isocyanate (CASRN 101-68-8) has a Reportable Quantity of 5,000 lbs. Any spill or release above this RQ must be reported to the National

Under requirements of the Comprehensive Environmental Response,

Response Center (800-424-8802).

Canadian Regulatory Information

All ingredients in this product are listed in the Domestic Substances List (DSL) or the Nondomestic Substances List (NDSL).

This product has been classified in accordance with Canada's Hazardous Products Regulations (SOR/DORS/2015-15).



Rev. 4, 25 September 2023

16. OTHER INFORMATION

Hazardous Materials Information System (HMIS III) Ratings (Legend): Health
2*
(moderate hazard,
"*" indicating potential

for chronic effects)

0 (minimal hazard)

Flammability

Physical Hazard 1 (slight PPE See Note

hazard)

Note regarding PPE:

GAF recommends use of protective eyewear and skin protection (Personal Protection Index "B") as standard PPE for the anticipated conditions of use of this product. However, HMIS recommends that its ratings be used only in conjunction with a fully implemented HMIS program, and that specific PPE codes should becreated by the user, who is familiar with the actual conditions under which the product is used. We cannot anticipate every condition of the product's use, and it is the user's responsibility to evaluate the hazards pertinent to its specific operations, and to determine the specific PPE required.

National Fire Protection Association (NFPA)

Ratings:

<u>Health</u> <u>F</u>

Flammability 0 Reactivity2

1

Revision Information: Publication Date: 25 September 2023

Date of Prior SDS: 23 November 2020 Section(s) Revised: 3, 5, 8, 9, 10, 11, 12, 14

DISCLAIMER

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.