

SAFETY DATA SHEET 2168

Rev. 4, 8/26/2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: OlyBond500 Winter Part 1 – Bag In Box, SpotShot Cartridges, Drums

Supplier:

GAF. 1 Campus Drive Parsippany, NJ 07054 USA Phone: 1-877-GAF-ROOF 24-hour Emergency Response Number: Chemtrec: 800-424-9300

Product Use(s): One component of a two-component polyurethane system

2. HAZARDS IDENTIFICATION

Classifications: Acute Toxicity, Inhalation: Hazard Category 4 Respiratory Sensitization: Hazard Category 1 Skin Sensitization: Hazard Category 1 Skin Irritation: Hazard Category 2 Eye Irritation: Hazard Category 2B Reproductive Toxicity Category 2 Specific Target Organ Toxicity, Single Exposure: Hazard Category 3 Specific Target Organ Toxicity, Repeated Exposure: Hazard Category 2

Symbols:



Signal Word: Danger

Hazard May be harmful if inhaled.

Statements: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May cause an allergic skin reaction.

Causes eye and skin irritation.

Suspected of damaging fertility or the unborn child.

May cause damage to the respiratory system and/or skin through prolonged or repeated exposure.

Precautionary Statements: Obtain, read and follow all safety instructions before use. Do not breathe mist, spray, or vapors. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear proper respiratory protection. Wear protective gloves and eye/face protection. Wash hands and forearms thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms or if you feel unwell, call a doctor or Poison Control Center.

IF ON SKIN: Wash with plenty of soap/ water. Take off contaminated clothing and wash before reuse. Contaminated work clothing must not be allowed out of the workplace. If skin irritation or rash occurs, get medical advice/attention.

2. HAZARDS IDENTIFICATION (continued)

Precautionary Statements: (continued) **IF IN EYES:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Store locked up in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with applicable regulations.

EMERGENCY OVERVIEW

Overexposure to components of this product by inhalation may cause respiratory irritation, asthma-like symptoms, and/or respiratory sensitization. The supplier has conducted an exposure assessment under representative working conditions and has determined that exposure in excess of the OSHA Permissible Exposure Limit is not likely when the product is used in an outdoor environment in accordance with instructions and safe work practices.

Skin contact may cause irritation and/or allergy-like symptoms, and eye contact may cause severe irritation. Avoid skin and eye contact, using proper personal protective equipment as needed. See Section #7 for recommendations on proper handling and work practices, and Section #8 for recommendations on personal protective equipment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient | CAS Number | <u>Percentage</u> | <u>Impurities</u> |
|---|------------|------------------------------|-------------------|
| Diphenylmethane Diisocyanate Isomers& Homologues | 9016-87-9 | 90-100 | None known |
| 4,4'-Methylene Bisphenyl Isocyanate | 101-68-8 | 30-50 (part of 9016-87-9) | None known |
| 2,2,4-trimethyl-1,3-pentanediol diisobutyrate | 6846-50-0 | <10 | None known |

Eyes: Hold eyes open and flush with lukewarm water for at least 15 minutes. Seek immediate medical assistance.

Skin: Remove contaminated clothing. Wash affected areas with soap and water for at least five minutes. If irritation persists or a rash occurs, seek medical attention. Launder or dry-clean clothing before reuse.

Ingestion: DO NOT induce vomiting. If the subject is conscious, wash mouth and give 2 or more cups of milk or water. Seek immediate medical assistance. Do not attempt to give anything by mouth to an unconscious or convulsive person.

Inhalation: If signs and symptoms of respiratory toxicity are observed, remove subject from area and seek immediate medical attention. Keep the subject warm and at rest. If necessary, administer oxygen or perform artificial respiration if necessary and qualified personnel are available to do so.

Guidance for Physician or Poison Control Center: Inhalation exposure can irritate the respiratory tract and induce respiratory sensitization. Treatment of acute irritation and bronchial constriction should be done according to symptoms. Eye contact can cause moderate to severe irritation. Skin contact can cause moderate irritation, and may elicit an allergic response among susceptible individuals. Treat eye and skin irritation or injury according to symptoms. Extended medical treatment may be necessary for individuals exhibiting respiratory sensitization and/or skin disorders.

5. FIREFIGHTING MEASURES

| Extinguishing Media: | Water spray, carbon dioxide, dry chemical or chemical foam. DO NOT use water jet. |
|--------------------------------|---|
| Fire and Explosion Hazards: | The container may burst if exposed to elevated temperatures, spilling the contents. Material reacts slowly with water, releasing carbon dioxide which can cause pressure buildup and rupture of closed containers. If present in a fire or explosion, potential decomposition byproducts include carbon monoxide, oxides of nitrogen, isocyanates, hydrogen cyanide, hydrogen fluoride, and carbonyl halides |
| Firefighting Instructions: | If fighting a fire in which this product is present, wear a self-contained breathing apparatus with full-facepiece operated in pressure-demand or other positive pressure mode. |

6. ACCIDENTAL RELEASE MEASURES

| Methods and Materials: | Absorb spilled material with a sorbent such as sawdust or calcium silicate hydrate. When absorbed, transfer to an impervious container. Neutralize with solution of 8-10% sodium carbonate and 2% liquid detergent in water (10:1 ratio of solution to product). Do not seal container, as CO_2 will be released. Neutralize in a well-ventilated area for at least 48 hours before sealing containers for disposal. |
|-------------------------------|--|
| Personal Precautions: | Avoid contact with skin, eyes, and mucous membranes. Wear appropriate personal protective equipment (see Section #8) during cleanup and decontamination. Restrict unauthorized personnel during cleanup and disposal operations. |
| Environmental Precautions: | Prevent spills from entering sewers or contaminating soil. |

7. HANDING AND STORAGE

Handling Precautions: Containers should be kept tightly closed to prevent contact with moisture and other chemicals. Do not reuse empty containers for any purpose. When handling the product, avoid contact with eyes, skin, and clothing, using protective equipment as needed. Do not use this product around children, and secure it away from children.

Work and Hygiene To prevent ingestion or contact following use of the product, wash hands and face before eating, drinking, applying cosmetics, or using tobacco. Remove contaminated clothing and protective equipment before entering eating/drinking areas.

Storage Precautions: Keep containers tightly sealed during storage. Store in a dry, wellventilated area away from sources of ignition and incompatible materials (see Section #10). Recommended temperature range for storage is 55-85°F. (12.8-29.4°C.).

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

| Ingredients Exposure Limits: | <u>Ingredient</u> | <u>OSHA PEL</u> | ACGIH TLV |
|---------------------------------|--|-----------------|---------------|
| | Diphenylmethane Diisocyanate Isomers & Homologues | None | None |
| | 4,4'-Methylene Bisphenyl Isocyanate | 0.02 ppm "C" | 0.005 ppm TWA |
| | 2,2,4-trimethyl-1,3- pentanediol diisobutyrate | None | None |

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION (continued)

| Ingredients Biological | <u>Ingredient</u> | Biological Limit(s) | | |
|----------------------------|---|--|--|--|
| Limits: | Diphenylmethane Diisocyanate Isomers & Homologues | No ACGIH BEIs or other biological limits | | |
| | 4,4'-Methylene Bisphenyl Isocyanate | No ACGIH BEIs or other biological limits | | |
| | 2,2,4-trimethyl-1,3- pentanediol diisobutyrate | No ACGIH BEIs or other biological limits | | |
| Engineering Controls: | ventilation is restricted or inadequate to | Use appropriate ventilation (dilution or local exhaust) whenever natural ventilation is restricted or inadequate to maintain concentrations of all components within their applicable standards. | | |
| Eye/Face Protection: | Wear eye protection adequate to prevent eye contact with the product. Plastic-frame spectacles with side shields, chemical goggles, or a face shield are recommended. Do not wear contact lenses when working with this product. | | | |
| Skin Protection: | Wear protective gloves and clothing to prevent skin irritation or injury from contact with the product. Glove materials known to be effective against permeation by isocyanates include butyl rubber, nitrile rubber, and polychloroprene. | | | |
| Respiratory Protection: | If an exposure level to a component exceeds an applicable standard, use a NIOSH-approved respirator of a class and configuration effective for protection from the component(s) generated. Where exposures exceed the OSHA <i>Permissible Exposure Limit (PEL)</i> , an airline respirator or self- contained breathing apparatus (SCBA) is recommended. Consult OSHA regulations (29CFR1910.134) and/or American National Standard Z88.2 (ANSI, New York, NY 10036, USA) for guidance. | | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Brown liquid Odor: aromatic Odor threshold: not determined pH: not applicable Melting point: not determined. Freezing point: not determined Boiling point: ≥200°F./93°C. Boiling range: not determined Flash Point: approx. 484°F./220°C. Autoignition Point: not determined Flammability Class: IIIB Lower Explosive Limit: not determined Upper Explosive Limit: not determined Vapor pressure: not determined Vapor density: not determined Evaporation Rate: not determined VOCs (per EPA Method 24): 50 g/L Relative density (H2O): approx. 1.22 Solubility (H2O): reactive Oil-water partition coefficient: not determined Decomposition temperature: not determined Viscosity: 300 cps

10. STABILITY AND REACTIVITY

| Stability: | Stable |
|---|---|
| Reactivity: | May react with water and incompatible materials |
| Hazardous Polymerization: | May occur at temperatures >392°F./200°C. |
| Risk of Dangerous Reactions: | None reasonably foreseeable |
| Incompatible Materials: Potential Decomposition Byproducts: | Water, alcohols, acids, alkalis, and amines Carbon monoxide, carbon dioxide, nitrogen oxides, isocyanates, and hydrogen cyanide |

11. TOXICOLOGICAL INFORMATION

| Ingredients Toxicology Diphenylmethane Diisocyanate Isomers & Homolouges | <u>⁄ Data</u> <u>LD₅₀_Oral</u> >10,000 mg/kg | | <u>LC₅₀</u> 0.49 mg/l 4 hour (rat) |
|--|--|---------------------------------|--|
| 4,4'-Methylene Bisph Isocyanate | enyl >10,000 mg/kg | g (rat) >9400 mg/kg (rabbit) | 2.24 mg/m³ for 1 hour (rat) |
| 2,2,4-trimethyl-1,3- pentanediol diisobutyrate | >2,000 mg/kg | rat) >2,000 mg/kg (rabbit) | >0.12 mg/L/6H |
| Primary Route(s) of Entry: | Inhalation; ingestion | | |
| Eye Hazards: | This product may cause eye irritation. | | |
| Skin Hazards: | This product may cause mild to moderate skin irritation and has the potential to cause skin sensitization among susceptible individuals. | | |

| Ingestion Hazards: | The product is not classified as toxic by ingestion, but ingestion may cause nausea, vomiting, and/or gastrointestinal irritation. |
|--|---|
| Inhalation Hazards: | Inhalation of toxicologically-significant quantities of ingredients is unlikely when the product is used in a well-ventilated area and in accordance with instructions. |
| Symptoms Related to Overexposure: | Inhalation overexposure to isocyanates may cause respiratory irritation, breathing difficulties, and asthma-like symptoms. |
| Delayed Effects from Long Term Overexposure: | Long-term inhalation overexposure to this product may result in respiratory sensitization, which may be irreversible. |
| Carcinogenicity: | A single inhalation study exposing rats to aerosolized polymeric 4,4'- Methylene Bisphenyl Isocyanate identified a single malignant pulmonary tumor among 60 animals exposed at the highest exposure level. Observations of pulmonary fibrosis and other pathological anomalies in the test animals precluded definitive determination as to the cause(s) of the tumor. Epidemiological studies of humans occupationally exposed to the isocyanates in this product have found no strong association or consistent pattern with respect to carcinogenicity. |
| Germ Cell Mutagenicity: | No ingredients have been determined to be germ cell mutagens. |
| Reproductive Toxicity: | No ingredients have been determined to be damaging to fertility or to the unborn child. |

11. TOXICOLOGICAL INFORMATION (continued)

| Acute Toxicity | LD ₅₀ (oral): >10,000 mg/kg |
|----------------|--|
| Estimates: | |

LD₅₀ (dermal): >94,000 mg/kg

LC₅₀: 2.24 mg/L/1 hr as aerosol

12. ECOLOGICAL INFORMATION

| Diphenylmethane Diisocyanate, Isomers and Homologues: | Aquatic Toxicity to Fish: $LC_{50} > 1,000 \text{ mg/l.}$ for 96 h. (zebra fish) Aquatic Toxicity to Invertebrates: $EC_{50} > 1,000 \text{ mg/l.}$ for 24 h. (daphnia) Aquatic Toxicity to Plants: $EC_{50} > 1,640 \text{ mg/l.}$ for 72 h. (algae) Aquatic Toxicity to Microorganisms: $EC_{50} > 100 \text{ mg/l.}$ for 3 h. (bacteria) Toxicity to Terrestrial Organisms: NOEC=1,000 mg/kg for 14 d. (worms) No data available for Persistence and Degradability, Bioaccumulation Potential, or Mobility in Soil. |
|---|--|
| 2,2,4- trimethyl- 1,3- pentanediol diisobutyrate Ozone Depletion Potential: | Aquatic Toxicity to Fish: LC50 = >6 mg/l. for 96 h. (limit of solubility) Aquatic Toxicity to Invertebrates: EC50 = >1.46 mg/l. for 48 h. (daphnia) (limit of solubility) Chronic Toxicity to Invertebrates: NOEC 0.7 mg/L/21d (daphnia) Readily biodegradable, not bioaccumulative This product neither contains nor is manufactured with any ingredients known to deplete the ozone layer. |

13. DISPOSAL CONSIDERATIONS

Do not discharge waste product into sanitary or storm sewers or allow it to contaminate soil. Empty containers should be decontaminated prior to disposal. Consult applicable Federal, State/Provincial, and local regulations.

14. TRANSPORTATION INFORMATION

Transport of the product is not regulated by USDOT, TDG (Canada), IATA, or IMO.

15. REGULATORY INFORMATION

United States Regulatory Information

| TSCA Information: | All ingredients of this product are listed in the TSCA Registry. |
|------------------------------------|--|
| SARA Hazard Classes: | Refer to Section 2 for the OSHA Hazard Classification |
| EPCRA Section 313 Notification: | This product contains these ingredients in concentrations ≥1% (for carcinogens ≥0.1%) regulated under Section 313 of the <i>Emergency Planning and Community Right-To-Know Act</i> of 1986 or 40 CFR 372: 1. 4,4'-Methylene Bisphenyl Isocyanate (CASRN 101-68-8) 2. Polymeric Isocyanantes (CASRN 9016-87-9) |
| CERCLA Information: | Under requirements of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), 4,4'-Methylene Bisphenyl Isocyanate (CASRN 101-68-8) has a Reportable Quantity of 5,000 lbs. Any spill or release above this RQ must be reported to the National Response Center (800-424-8802). |

Canadian Regulatory Information

This product has been classified in accordance with Canada's *Hazardous Products Regulations* (SOR/DORS/2015-15).

16. OTHER INFORMATION

| Hazardous Materials Information System (HMIS III) Ratings (Legend): | <u>Health</u> 2* (moderate hazard indicating potential | <u>Flammability</u> 1 (slight hazard) | <u>Physical Hazard</u> 0 (minimal hazard) | <u>PPE</u> See Note |
|--|---|---|---|---------------------------|
| (Legend): | for chronic effects) | | | |

Note regarding PPE: GAF recommends use of protective eyewear and skin protection (Personal Protection Index "B") as standard PPE for the anticipated conditions of use of this product. However, HMIS recommends that its ratings be used only in conjunction with a fully implemented HMIS program, and that specific PPE codes should be created by the user, who is familiar with the actual conditions under which the product is used. We cannot anticipate every condition of the product's use, and it is the user's responsibility to evaluate the hazards pertinent to its specific operations, and to determine the specific PPE required.

| National Fire | <u>Health</u> | <u>Flammability</u> | Reactivity |
|------------------------|---------------|---------------------|-------------------|
| Protection Association | 2 | 2 | 1 |
| (NFPA) Ratings: | | | |

Revision Information: Date of Prior SDS: 1/22/2019

DISCLAIMER

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.